

【在庫品】

2026年10月現在

●：常備在庫

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫
VSF	0.3	200	●	●	●	●	●					●			
	0.5		●	●	●	●	●	●		●	●	●	●	●	●
	0.75		●	●	●	●	●	●		●	●	●	●	●	●
	1.25		●	●	●	●	●	●		●	●	●	●	●	●
	2.0		●	●	●	●	●	●		●	●	●			
S-HVSF	0.5	500	●	●	●	●	●	●		●	●	●	●	●	●
	0.75		●	●	●	●	●	●		●	●	●	●	●	●
	1.25	400	●	●	●	●	●	●		●	●	●	●	●	●
	2.0	200	●	●	●	●	●	●		●	●	●			

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	チョコ	赤×黒	白×赤	白×青	白×黒		
VFF	0.3	200								●	●	●			
	0.5	100				●	●	●		●	●	●	●		
	0.75		●	●	●	●	●	●		●	●	●	●		
	1.25	100	●	●	●	●	●	●		●	●	●	●		
	2.0					●	●	●		●	●	●			
VFF (ポビン)	0.3	200								●	●	●			
	0.5	100				●	●	●		●	●	●	●		
	0.75					●	●	●		●	●	●	●		
	1.25					●	●	●		●	●	●	●		
S-HVFF	0.3	200								●	●	●			
	0.5	100				●	●	●		●	●	●	●		
	0.75					●	●	●		●	●	●	●		
	1.25	100				●	●	●		●	●	●	●		
EM-CFF	0.75	300													
	1.25														
	2.0														

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	チョコ	赤×黒	白×赤	白×青			
VCTF	2×0.75	200					●	●							
	2×1.25						●	●							
	2×2.0						●	●							
	3×0.75						●	●							
	3×1.25						●	●							
	3×2.0						●	●	黒はソフトタイプになります。						
VCTFK	0.5	100													
	0.75					●	●	●							
	1.25					●	●	●							
	2.0					●	●	●							
EM-CCTFK	0.75	100													
	1.25														
	2.0														

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫
KV	0.3	200	●	●	●	●	●	●		●	●	●	●	●	●
	0.5		●	●	●	●	●	●		●	●	●	●	●	●
	0.75		●	●	●	●	●	●		●	●	●	●	●	●
	1.25		●	●	●	●	●	●				●			
S-HKV	0.3	500	●	●	●	●	●	●		●	●	●	●	●	●
	0.5		●	●	●	●	●	●		●	●	●	●	●	●

【在庫品】

2026年10月現在

●：常備在庫

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫
HB-KEX	0.3	500													
	0.5	400													
	0.75	300													
	1.25	200													
	2.0														
HB-KX	0.2	1000	●	●	●	●	●					●			
	0.3	500	●	●	●	●	●					●			
	0.5		●	●	●	●	●					●			
	0.75		●	●	●	●	●					●			
	1.25	300	●	●	●	●	●					●			
	2.0	200	●	●	●	●	●					●			

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	茶	橙	緑	緑×黄	黄×緑		
KIV	0.5	200	●	●	●	●	●		●		●				
	0.75		●	●	●	●	●	●	●	●	●	●	●		
	1.25		●	●	●	●	●	●	●	●	●	●	●		
	2.0		●	●	●	●	●	●	●	●	●	●	●		
	3.5	100	●	●	●	●	●				●	●	●		
	5.5		●	●	●	●	●				●	●	●		
	8.0		●	●	●	●	●				●	●	●		
	14		●	●	●	●	●				●				
	22	100	●	●	●	●	●				●				
		300	●	●	●	●	●				●				
HKIV	0.75	500	●	●	●	●	●				●				
	1.25	200	●	●	●	●	●				●				
	2.0		●	●	●	●	●				●				
	3.5	100	●	●	●	●	●				●				
	5.5		●	●	●	●	●				●				
	8.0														

品名・記号	導体サイズ*	条長 (m)	赤	青	黄	白	黒	灰							
HIV	0.8mm	500	●	●	●	●	●	●							
	1.0mm		●	●	●	●	●	●							

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	茶	橙	緑	緑×黄	黄×緑		
EM-KIC	0.5	200	●	●	●	●	●				●				
	0.75		●	●	●	●	●				●				
	1.25		●	●	●	●	●				●				
	2.0		●	●	●	●	●				●				
	3.5	100	●	●	●	●	●				●				
	5.5		●	●	●	●	●				●				
	8.0														
HB-KIX	0.75	500	●	●		●	●				●				
	1.25	300	●	●		●	●				●				
	2.0		●	●		●	●								
EM-HB-KIX(UV)	0.75	500													
	1.25	300													
	2.0														

【在庫品】

2026年10月現在

●：常備在庫

品名・記号	断面積(mm ²)	条長(m)	赤	青	黄	白	黒	緑							
EM-KICML	0.75	200													
	1.25														
	2.0														
	3.5	100													
	5.5														
	8.0														

品名・記号	サイズ	条長(m)	赤	青	黄	白	黒	灰	茶	橙	緑	空	桃	紫	緑×黄	スパイラル
AWM 1007 CSA TR-64	28AWG	610	●	●	●	●	●	●	●	●	●	●	●	●		
	26AWG		●	●	●	●	●	●	●	●	●	●	●	●		
	24AWG		●	●	●	●	●	●	●	●	●	●	●	●		●
	22AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	20AWG	305	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	18AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	16AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	14AWG															

スパイラルは緑×黄

品名・記号	サイズ	条長(m)	赤	青	黄	白	黒	灰	茶	橙	緑	空	桃	紫	緑×黄	スパイラル
AWM 1015 CSA TEW	24AWG	305	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	22AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	20AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	18AWG		●	●	●	●	●	●	●	●	●	●	●	●	●	●
	16AWG	153	●	●	●	●	●	●	●	●	●			●	●	
	14AWG		●	●	●	●	●	●	●	●	●			●	●	
	12AWG		●	●	●	●	●		●	●	●			●		
	10AWG		●	●	●	●	●	●	●		●			●		

スパイラルは緑×黄

品名・記号	断面積(サイズ)	条長(m)	赤	青	黄	白	黒	灰	茶	橙	緑	緑×黄			
MTW+ AWM1015+ AWM I A/B	0.5mm ² (20AWG)	305	●	●	●	●	●					●			
MTW+ AWM1015+ AWM I A/B +HKIV	0.75mm ² (18AWG)	305	●	●	●	●	●			●		●			
	1.0mm ² (18AWG)		●	●		●	●			●		●			
H07V2-K +MTW +AWM1015 +AWM I A/B +60227 IEC02	1.5mm ² (16AWG)	153	●	●	●	●	●					●			
	2.5mm ² (14AWG)	107	●	●	●	●	●					●			
	4.0mm ² (12AWG)		●				●					●			
	6.0mm ² (10AWG)		●				●					●			

橙は現在庫限り

品名・記号	断面積(mm ²)	条長(m)	黒	白	黒×白ライン
H-CV	2.0	205	●	●	
	3.5	1000	●	●	
	5.5	150	●	●	
		1000	●	●	

H-CV 3.5mm² 黒
 ◆延長ケーブルセット
 標準長：L寸法
 10/20/30/40/50/60/70/80 (m)
 ◆接続ケーブル
 標準長：L寸法 5/10/20 (m)

品名・記号	断面積(mm ²)	条長(m)	黒	黒×白ライン
PV-CC	3.5	200	●	●
		1000	●	●
	5.5	150	●	●
		1000	●	●

品名・記号	断面積(mm ²)	条長(m)	黒	黒×白ライン
H EM-CE	2.0	205		
	3.5		●	

【在庫品】

2026年10月現在

●：常備在庫

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫
AESSX	0.3f	2000													
	0.5f	1500	●	●		●	●					●			
	0.75f	1000	●	●	●	●	●					●			
	1.25f	800													
	2.0f	500													

品名・記号	断面積(mm ²)	条長 (m)	赤	青	黄	白	黒	灰	若葉	茶	橙	緑	空	桃	紫
CIVUS	0.13	5000													
	0.22	2800									●				●
	0.35	2700	●		●	●		●		●	●	●	●	●	●
	0.50	1800													
	0.75	1400													
	1.25	900													

0.35赤・黄・緑
以外は現在庫限り

品種	品名	条長 (m)	黒	灰
同軸 ケーブル	3 C-2V	100	●	
	5 C-2V		●	
	JIS 3C-2V		●	
	JIS 5C-2V		●	
	JIS 3D-2V			●
	JIS 5D-2V			●
	S-4C-FB			
	S-5C-FB		●	
	S-7C-FB			

品名・記号	線心数	導体径(mm)A	条長 (m)	灰
TIVF	2	0.65	200	●
		0.8		●

品名・記号	線心数	導体径(mm)A	条長 (m)	灰
EM-TIEF	2	0.65	200	●
		0.8		●

品名・記号	線心数	断面積(mm ²)A	条長 (m)	灰
EM-MEES	2	0.75	100	●
		1.25		●

品名・記号	支持線外径	心線外径	条長 (m)	灰
TOV-SS	1.2mm	0.8mm	200	●
	1.4mm	1.2mm		●

品名・記号	断面積(mm ²)A	条長 (m)	白	灰
FL	0.75	100	●	●

品名・記号	線心数	導体サイズ (AWG)	条長 (m)	黒
HBSE	2	26	100	●
			300	●
	3		100	●
			300	●
		22	100	●

【在庫品】

2026年10月現在

●：常備在庫

《プラグ付電源コード》

定格電流	使用コード	プラグ	条長 (m)	入数 (本)	白	黒	灰
7A	VFF 0.75mm ²	CS-265	2	200	●	●	●
			3	150	●	●	●
12A	VFF 1.25mm ²	CS-060	2	150	●	●	●
			3	100	●	●	●
7A	VCTFK 0.75mm ²	CS-479	2	150			●
			3	100			●
12A	VCTFK 1.25mm ²	CS-489	2	100			●
			3	75			●
7A	VCTF 2×0.75mm ²	CS-149	2	100			●
			3	80			●
12A	VCTF 2×1.25mm ²	CS-146		50			●
					15A	VCTF 2×2.0mm ²	CS-197
7A	VCTF 3×0.75mm ²	CS-271		50			
12A	VCTF 3×1.25mm ²	CS-270					●
15A	VCTF 3×2.0mm ²	CS-269		40			●

《プラグ付電源コード 抗菌仕様》

定格電流	使用コード	プラグ	条長 (m)	入数 (本)	白	黒	灰	
7A	VFF 0.75mm ²	CS-265	2	200	●	●	●	
			3	150	●	●	●	
12A	VFF 1.25mm ²	CS-060	2	150	●	●	●	
			3	100	●	●	●	
7A	VCTFK 0.75mm ²	CS-479	2	150			●	
			3	100			●	
12A	VCTFK 1.25mm ²	CS-489	2	100			●	
			3	75			●	
15A	VCTFK 2.0mm ²	CS-189	2	75			●	
			3	50			●	
7A	VCTF 2×0.75mm ²	CS-149	2	100			●	
12A	VCTF 2×1.25mm ²	CS-146	3	80			●	
15A	VCTF 2×2.0mm ²	CS-197		50			●	
7A	VCTF 3×0.75mm ²	CS-271			50			●
12A	VCTF 3×1.25mm ²	CS-270					●	
15A	VCTF 3×2.0mm ²	CS-269		40			●	
【3極コードセット】								
7A	VCTF 3×0.75mm ²	㊦:CS-271		2	50		●	●
		㊦:CCB-201	3			●	●	
12A	VCTF 3×1.25mm ²	㊦:CS-270	2			●	●	
		㊦:CCB-202	3			●	●	
15A	VCTF 3×2.0mm ²	㊦:CS-269	2	40		●	●	
		㊦:CCB-203	3			●	●	